



Camera Mounting Solutions

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED INDOOR/OUTDOOR DOMES					
ME6 Outdoor IR Dome 37992-101 	Flush Mount Adaptor 33306 	Pipe Mount Adaptor (1.5" NPT) 33285  — + — Pendant Mount HOMINIDOMESMA	Wall Mount (indoor applications only) 33088  — OR — Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount HOMINIDOMEWB	Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount HOMINIDOMEWB  — + — Pole Adaptor HOMINIDOMEPPMA 	Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount HOMINIDOMEWB  — + — Corner Adaptor 27639 
VA4 Outdoor IR Dome 39362-101 		 — OR — Pipe Mount Adaptor (1.5" NPT) 33285  — + — Pendant Mount with Back Box 36990 	 — OR — Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989 	 — OR — Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989  — + — Pole Adaptor HOMINIDOMEPPMA 	 — OR — Pipe Mount Adaptor (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989  — + — Corner Adaptor 27639 
VA2 Outdoor IR Dome 39361-101 					

	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED INDOOR/OUTDOOR DOMES				
VA4 IR MicDome 39368-101 39368-102 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Pendant Mount HOMINIDOMESMA 	Wall Mount 33286  — OR — 1.5" NPT Mount Adaptor 33287  — + — Wall Mount HOMINIDOMEWB 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Wall Mount HOMINIDOMEWB  — + — Pole Adaptor HOMINIDOMEPPA 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Wall Mount HOMINIDOMEWB  — + — Corner Adaptor 27639 
	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Pendant Mount with Back Box 36990 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989  — + — Pole Adaptor HOMINIDOMEPPA 	Pipe Mount Adaptor (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989  — + — Corner Adaptor 27639 

	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED INDOOR DOMES					
VA4 Indoor IR Dome 39367-101  <i>Also available with smoked bubble (37271) and black housing (37991)</i>	Pipe Mount Adaptor (1.5" NPT) 33287   Pendant Mount HOMINIDOMESMA  OR Pipe Mount Adaptor (1.5" NPT) 33287   Pendant Mount with Back Box 36990 	Wall Mount 33286  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount HOMINIDOMEWB  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989 	Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount HOMINIDOMEWB   Pole Adaptor HOMINIDOMEPTMA  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Pole Adaptor HOMINIDOMEPTMA 	Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount HOMINIDOMEWB   Corner Adaptor 27639  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Corner Adaptor 27639 	Adaptor Plate 36068  <i>Electrical box mount not available with VA2 Indoor NanoDome</i>
VA2 Indoor IR Dome 35835-101  <i>Also available with smoked bubble (37271) and black housing (37991)</i>	Pipe Mount Adaptor (1.5" NPT) 33287   Pendant Mount with Back Box 36990 	Wall Mount HOMINIDOMEWB  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989 	Pole Adaptor HOMINIDOMEPTMA  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Pole Adaptor HOMINIDOMEPTMA 	Corner Adaptor 27639  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Corner Adaptor 27639 	
VA2 Indoor NanoDome 39364-101 	Pipe Mount Adaptor (1.5" NPT) 33287   Pendant Mount with Back Box 36990 	Wall Mount HOMINIDOMEWB  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989 	Pole Adaptor HOMINIDOMEPTMA  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Pole Adaptor HOMINIDOMEPTMA 	Corner Adaptor 27639  OR Pipe Mount Adaptor (1.5" NPT) 33287   Wall Mount with Back Box 36989   Corner Adaptor 27639 	


	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
PTZ DOMES				
ME3 Pendant IR PTZ 40x 36896-101 	Pendant Mount HOMINIDOMESMA  OR Pendant Mount with Back Box 36990 	Wall Mount HOMINIDOMEWB  OR Wall Mount with Back Box 36989 	Wall Mount HOMINIDOMEWB   Pole Adaptor HOMINIDOMEPA  OR Wall Mount with Back Box 36989  	Wall Mount HOMINIDOMEWB   Corner Adaptor 27639  OR Wall Mount with Back Box 36989  
SE2 Pendant PTZ 30x 36861-101  <i>available with smoked bubble (37272)</i>				
SE2 Flush PTZ 30x 36860-101  <i>available with smoked bubble (37273)</i>	This dome can be flush-mounted out of the box; no additional mounting options are available.			




BULLET CAMERAS	WALL MOUNT	POLE MOUNT
ME6 IR DuraBullet 37993-101 		
VA4 IR DuraBullet 39366-101 	Wall Mount Back Box 33227 	Pole Mount Back Box 33226 
SE2 IR MicroBullet 37401-101 		



COVERT CAMERAS	Height Strip	Counter Mount	Doorway Enclosure	Wall Mount Faceplate	Drive Up Enclosure
SE4 Covert Camera 38398-101 	Height Strip Housing 38764 	Counter Mount Multiple models available; contact Parabit for P/Ns 	Doorway Mount Multiple models available; contact Parabit for P/Ns 	Wall Mount Multiple models available; contact Parabit for P/Ns 	Drive Up Mount Multiple models available; contact Parabit for P/Ns 




ATM CAMERAS	Short Mounting Bracket	Standard Mounting Bracket	View Window Mounting Bracket
SE2 ATM Camera 38137-101 	Not Available	Mounting Bracket 34278 	Mounting Bracket 40317 (for NCR 6634) 38423 (for NCR 6684 and NCR 6688) 




ANALYTICS SENSORS	Indoor Surface Mount	Recessed Mount - X-Tilt	Indoor Wall/Ceiling Mount
Brickstream Sensors 37381-101 37381-102 37381-103 37381-104 	Surface Mount Ships with camera 	Recessed Mount - X-Tilt 38548 	Wall/Ceiling Mount HOWSCAMWB 



	Flush Mount 	Pendant Mount 	Panoramic+ Tilt Mount 	Wall Mount 	Pole Mount 	Corner Mount 
180° AND 360° CAMERAS						
Oncam C-Series Indoor Cameras C-08 40216 C-12 38500 	Flush Mount Adaptor 38502 	Pendant Mount Adaptor 38503 	Panoramic+ Tilt 40032 			
Oncam C-Series Outdoor Cameras C-08 40217 C-12 38501  <i>optional heater module (38505)</i> 		Pendant Mount Adaptor 38504   <i>Both Pendant Cap and Sunshield Included</i>  Optional Rain Guard 40033  <i>compatible with all Panoramic+ Tilt mounts</i>	Panoramic+ Tilt 40034   Pendant Mount Adaptor 38504 	Wall Mount 34493   Pendant Mount Adaptor 38504 	Pole Mount 34491   Pendant Mount Adaptor 38504 	Corner Mount 34487   Pendant Mount Adaptor 38504 



Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
FLUSH MOUNT ADAPTORS							
33306 Flush Mount Adaptor For flush-mounting various outdoor domes			•	•	Material: Steel/plastic assembly Color: White Weight: 2.0 lbs (0.91 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101	
PIPE MOUNT ADAPTORS							
33285 1.5" NPT Mount Adaptor with Sunshield For mounting various domes to industry-standard NPT mounts			•	•	Material: Plastic Color: White Weight: 1.0 lb (0.45 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101	Any 1.5" NPT mount HOMINIDOMESMA HOMINIDOMEWB
33287 0.75" / 1.5" NPT Mount Adaptor For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Color: White Weight: 0.4 lb (0.18 kg)	VA4 IR MicDome 39368-101 39368-102 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101	Any 0.75" or 1.5" NPT mount HOMINIDOMESMA HOMINIDOMEWB






Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
PENDANT MOUNTS							
HOMINIDOMESMA Pendant Mount For mounting various domes to a ceiling			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>
36990 Pendant Mount with Back Box For mounting various domes to a ceiling			•	•	Material: Aluminum Color: White sand-tone Weight: 3.54 lbs (1.61 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>


Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
WALL MOUNTS							
33088 Short Wall Mount For mounting various domes to a wall (indoors)			•		Material: Plastic Color: White Weight: 0.5 lb (0.23 kg)	ME6 Outdoor IR Dome (when installed indoors) 37992-101 VA4 Outdoor IR Dome (when installed indoors) 39362-101 VA2 Outdoor IR Dome (when installed indoors) 39361-101	None
33286 Short Wall Mount For mounting various domes to a wall			•	•	Material: Plastic Color: White Weight: 0.3 lb (0.14 kg)	VA4 IR MicDome 39368-101 VA4 IR MicDome 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101	None
36989 Wall Mount with Back Box For mounting various domes to a wall			•	•	Material: Aluminum Color: White sand-tone Weight: 4.48 lbs (2.03 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 VA4 IR MicDome 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
WALL MOUNTS							
HOMINIDOMEWB Long Wall Mount For wall mounting various domes			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>
33227 Wall Mount Back Box For mounting the Bullet Cameras to a wall			•	•	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME6 IR DuraBullet 37993-101 37993-102 VA4 IR DuraBullet 39366-101 SE2 IR MicroBullet Camera 37401-101	None
HOWSCAMWB Wall/Ceiling Mount For mounting analytics sensors			•		Material: Plastic/aluminum Color: White Weight: .33 lbs (.150 kg)	Brickstream Analytics Sensors 37381-101 37381-102 37381-103 37381-104	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
POLE MOUNT ADAPTORS							
HOMINIDOMEPA Pole Adaptor For mounting various domes to a pole					Material: Steel Color: White Weight: 2.87 lbs (1.30 kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	Wall Mount HOMINIDOMEWB The compatible NPT mount adaptor 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>
33226 Pole Mount Back Box For mounting the Bullet Cameras to a pole					Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME6 IR DuraBullet 37993-101 37993-102 VA4 IR DuraBullet 39366-101 SE2 IR MicroBullet Camera 37401-101	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
CORNER MOUNT ADAPTORS							
27639 Corner Adaptor For mounting various domes to a corner			•	•	Material: Steel Color: Ivory Weight: 5.29 lbs (2.4 Kg)	ME6 Outdoor IR Dome 37992-101 VA4 Outdoor IR Dome 39362-101 VA2 Outdoor IR Dome 39361-101 VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101 VA2 Indoor NanoDome 39364-101 ME3 Pendant IR PTZ 40x 36896-101 SE2 Pendant PTZ 30x 36861-101	Wall Mount HOMINIDOMEWB The compatible NPT mount adaptor 33285 33287 <i>No NPT mount adaptor required for PTZ domes</i>
ATM CAMERA MOUNTS							
34278 Standard Mounting Bracket For mounting ATM cameras inside an ATM			•		Material: Steel Color: Black Weight: 0.5 lb (0.23 kg)	Modular ATM Camera 34112-101 SE2 ATM Camera 38137-101	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
40317 View Window Mounting Bracket For mounting ATM cameras inside an NCR 6634 ATM			•		Material: Plastic Color: Black with clear window Weight: 0.5 lbs (0.23 kg)	Modular ATM Camera 34112-101 SE2 ATM Camera 38137-101	None
38423 View Window Mounting Bracket For mounting ATM cameras inside an NCR 6684 or NCR 6688 ATM			•		Material: Metal Color: Black Weight: 0.5 lbs (0.23 kg)	Modular ATM Camera 34112-101 SE2 ATM Camera 38137-101	None
ANALYTICS SENSOR MOUNTS							
38548 Recessed Mount - X-Tilt			•		Material: Plastic Color: White Weight: 1.0 lbs (0.45 kg)	Brickstream Sensors 37381-101 37381-102 37381-103 37381-104	None
ELECTRICAL BOX MOUNTS							
36068 Electrical Mount Adaptor Plate (surface mount) For surface-mounting various domes to a double-ganged deep electrical box			•		Material: Plastic Color: White Weight: 0.15 lb (0.07 kg)	VA4 IR MicDome 39368-101 39368-102 VA4 Indoor IR Dome 39367-101 VA2 Indoor IR Dome 39363-101	None
HEIGHT STRIP MOUNTS							
38764 Height Strip Housing For mounting the SE4 Covert Camera inside a height strip			•		Material: Painted Aluminum Color: Multi	SE4 Covert Camera 38398-101	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
PARABIT MOUNTS - These mounting solutions are ordered directly from Parabit							
Counter Mount Enclosure For mounting a camera inside a countertop enclosure. Allows for a clear capture of transactions and customer interactions.		Dimensions vary dependent on model (height of counter, camera FOV, aesthetic preference, etc.). Available in 6-inch, 12-inch and 18-inch models, with or without curved front.	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	SE4 Covert Camera 38398-101 SE2 ATM Camera 38137-101	None
Doorway Mount Enclosure For mounting a camera discreetly and seamlessly into any standard door frame casing or door jamb. Allows for clear capture of faces at entries and exits.		Dimensions vary dependent on model. Available in curved slot or mullion faceplate (with or without collar).	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	SE4 Covert Camera 38398-101 SE2 ATM Camera 38137-101	None
Wall Mount Faceplate Enclosure Single or double gang faceplate for high quality facial image capture.		Dimensions vary dependent on model. Available in single or double gang faceplates	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	SE4 Covert Camera 38398-101 SE2 ATM Camera 38137-101	None
Drive Up Mount Enclosure For mounting camera at any facility entrance, security checkpoint, parking lot, drive up ATM, housing complex, private estate, school gates, and more. Simultaneously capture a driver's face and vehicle license plate.		 Technical drawings for the Drive Up Mount Enclosure showing dimensions in inches: Top View: Overall width 16.30in, divided into 8.00in and 8.30in sections. Height is 7 1/2". Isometric View: Shows the 3D perspective of the enclosure. Side View: Shows a 9 Degree angle on the side profile. Front View: Shows the front profile with a height of 6 5/8" and a width of 3 1/8".	•	•	Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	SE4 Covert Camera 38398-101 SE2 ATM Camera 38137-101	None